


SoftWash XT® Soft-Touch Rollover

“How do I give my customers high quality cleaning results and lower my utility bills?”



With the industry's most effective and efficient soft-touch rollover.



SoftWash XT

Advantages for you and your customers.

- Ideal soft-touch system for gas/convenience stores and investor sites
- Patented SoftTecs® foam brushes safely clean and polish all vehicle surfaces
- New technology enhances wash quality and customer satisfaction while generating incremental revenue for the operator
- Engineered to achieve the lowest total cost of ownership



“How can I earn even more profit from my carwash business?”



4DIMENSIONS for a successful carwash business.

Mark VII sets the standard for high quality wash results on a soft-touch rollover.

Like no other system, SoftWash XT meets your customers' demanding requirements for wash quality, speed, ease of use and design — what we call the 4DIMENSIONS of a modern carwash.

SoftWash XT delivers an incredible customer experience combined with the business results you require. It's the ideal soft-touch system for convenience stores, investor sites and auto dealers wanting to offer extra services to their customers.

With [4DIMENSIONS](#), discover how SoftWash XT ensures maximum customer satisfaction and profits for you.

Innovations to separate you from your competition.

Technology to clean better and lower operating costs.



3-Brush Soft-Touch Technology
Our patented SofTecs foam gently and safely cleans and polishes vehicles while minimizing the electricity, water and chemicals consumed when customers choose a soft-touch wash.



WheelJet
Our premium wheel cleaning system is angled for better centering, has larger brushes for better coverage and integrates high pressure for added cleaning power. Our basic HubScrub system is also available.



High Pressure Options
Add a pumping plant to offer a medium pressure pre-wash to your upgraded wash packages. Or give your customers the choice of soft-touch, touch-free or combination wash packages with our ChoiceWash XT® (see separate brochure for details).



Triple-Foam
Customers love the colorful display and scent and are willing to pay more for wash packages that include them.



K100 Controller
Provides unparalleled flexibility to create wash programs and control speed to ensure optimal cleaning results and maximize choices for the customer.



Choice of On-Board or Freestanding Dryers
AquaDri® dryers are designed to thoroughly shed water from the vehicle after washing. Available in several configurations to match your needs.



Self-Adjusting Side Washers Clean Better
Side washers angle out on the first pass and in on the second pass, ensuring that curved surfaces at the top and bottom are thoroughly scrubbed.



Premium Wax System
The premium wax system enables the use of chemicals such as Rain-X to provide extended protection of all vehicle surfaces while driving incremental revenue for the carwash operator.



Contouring Spray Arms for Greater Efficiency
Contour-following spray arms stay close to the car, achieving excellent coverage while consuming less water and chemicals



Hand Wax Quality Shine in a Fraction of the Time
ShineTecs and ShineTecs Tri-Foam contain shine polymers that instantly clarify the paint and are buffed in to generate a deep gloss shine and generate more revenue for the operator.



Make your carwash unique.



FoamTecs:

A foam wash with a wow effect.

FoamTecs applies any foaming chemical to the vehicle in a voluminous curtain of foam. Programmable LED lighting turns the application into a spectacular customer experience, providing another way to up-sell customers to your premium wash package.



LightDoors:

Light the way for your customers.

LightDoors use an array of 20 LED light bars to attract customers to the carwash, guide them into the bay, display a dramatic show during the wash program, and provide another visual cue when the wash is over and it's time to exit.



Classic Doors

The original ABS plastic doors are available with your choice of blue, red or custom accent panels (at additional charge).



Stainless Steel Doors

For customers who prefer the shiny look of stainless steel. They can be easily customized with your branding by having them “wrapped” by your local sign company.

Remote carwash management: Mark VII Plus.



Check the status of your bays and sites at a glance on the Mark VII Plus dashboard using any computer or mobile device. Drill down to see details about wash counts, revenue, machine status, etc., and receive instant alerts when issues arise.

Specifications

DIMENSIONS

- Machine Height without on-board static dryer: 123" / 313cm
- Machine Height with on-board static dryer: 142" / 360cm
- Machine Width: 150" / 381cm
- Machine Depth at top: 72" / 183cm
- Machine Depth at bottom: 59" / 150cm
- Machine Weight: 3,000 lbs / 1,361kg

VEHICLE CLEARANCE

- Height without on-board static dryer: 89" / 226cm
- Width at mirrors: 105" / 267cm
- Width at wheel brushes: 85" / 216cm

BAY SIZE

- Minimum Height without dryer: 125" / 318cm for standard energy chain, 155" / 394cm for narrow bay energy chain option, not including shims
- Minimum Height for on-board contouring dryer: 130" / 330cm, not including shims
- Minimum Height for on-board static dryer: 144" / 366cm, not including shims
- Minimum Width: 178" / 452cm (159" / 404cm with narrow bay option)
- Minimum Length for triple-brushing in front and back: maximum vehicle length + 144" / 366cm
- Minimum Length for double-brushing in front and triple-brushing in back: maximum vehicle length + 120" / 305cm

UTILITIES

- Electrical: 208-230 VAC 60Hz 3 ϕ , 20 amp without dryer
- Electrical: 208-230 VAC 60Hz 3 ϕ , 75 amp with 15 HP or 20 HP on-board dryer
- Electrical: 208-230 VAC 60Hz 3 ϕ , 125 amp with 30 HP on-board dryer
- Minimum Water Pressure: 50 PSI / 3.5 bar
- Maximum Water Pressure: 80 PSI / 5.5 bar
- Minimum Water Demand: 20 GPM / 76 LPM
- Minimum Air Supply: ½" line with 80 PSI / 5.5 bar
- Maximum Air Supply: 150 PSI / 10.3 bar
- Air Consumption Demand:
 - Constant 1 CFM / 28 LPM
 - Intermittent 3 CFM / 85 LPM
 - Triple foam 25 CFM / 708 LPM



Total Carwash Care[®]



Expert Service



High Performance Chemical



Retail Marketing



\$ SUCCESS PLANS

PriorityPlan^{#1}

Rapid Response
7 Days a Week

Parts & Labor
Included

Preventive
Maintenance
Included

Semi-Annual
Seasonal
Tune-ups

EasyPay
Chemical
Program

Marketing &
Promotional
Package

10% Discount
on Chemical
Program



PreventionPlan[™]

Rapid Response
5 Days a Week

Labor Included

Preventive
Maintenance
6 Times per
Year

EasyPay Chemical
Program

Marketing &
Promotional
Package

5% Discount on
Chemical Program

Carwash means WashTec/Mark VII. Worldwide.



More than **35,000** installed machines.

WashTec/Mark VII equipment washes **over 2.75 million vehicles a day** around the globe.

Represented in over **70** countries.

More than **1,700 employees** help us shape the future of the carwash business, including over **600 service technicians**.

Over **50** years of leadership in innovation.

We set the standards in the **carwash business** – and actively push the market forward.

Total Carwash Care

Comprehensive program for service, chemicals and marketing to drive carwash growth.

www.markvii.net

